


# Dustbin 60 L

KPL205




The Dustbin or Trash Can adds a necessary waste receptacle to any park or playground setting. It is constructed of low maintenance materials and can be placed anywhere people will gather, or pause en route to another location.

|                             |   |
|-----------------------------|---|
| Item no. KPL205             |   |
| General Product Information |   |
| Dimensions LxWxH            | 1'9"x1'2"x2'5"  |
| Age group                   | -   |
| Play capacity (users)       | -   |
| Item color                  |  |



# Dustbin 60 L

KPL205



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.

|                          |          |
|--------------------------|----------|
| Item no. KPL205          |          |
| Installation Information |          |
| Max. fall height         | 0'0"     |
| Safety surfacing area    | 0ft²     |
| Total installation time  | 0.5      |
| Excavation volume        | 0yd³     |
| Concrete volume          | 0yd³     |
| Footing depth (standard) | 0'0"     |
| Shipment weight          | 34lbs    |
| Anchoring options        |          |
| Warranty Information     |          |
| Hot dip galvanized steel | Lifetime |
| PE/PP Components         | 5 Years  |
| Spare Parts Availability | 10 Years |

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present               | 0                              | 0                                  | 0                                  |
| Required              | 0                              | 0                                  | 0                                  |

# Sustainability Data

KPL205



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| KPL205               | 29.20                          | 2.43                    | 12.50              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Park



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000




# Dustbin 60 L


KPL205

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



KPL205  
\*\* 3'-11" / 120cm



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)