

FSW221



A woman is shown in a squatting position on a force plate. She is wearing a grey t-shirt and black leggings. Her arms are extended forward, and her feet are flat on the plate. The force plate is a rectangular device with a grid pattern on its surface.



Jump Pod Set

FSW221



Stepping point is made from SBR rubber and has a good heat and abrasion resistance rating.

The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. FSW22100-0800	
Installation Information	
Max. fall height	60 cm
Safety surfacing area	12.2 m²
Total installation time	1.7
Excavation volume	0.32 m³
Concrete volume	0.09 m³
Footing depth (standard)	86 cm
Shipment weight	57 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Galvanised Steel	Lifetime
SBR rubber	2 years



Sustainability Data

FSW221



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW22100-0800	125.30	2.23	22.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN
Let's play

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Jump Pod Set

FSW221

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FSW22100

*60cm

**60cm

***12.2m²



FSW22100

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)