

Jump Pod Set

FSW221



| | |
|------------------------------------|----------------|
| Item no. FSW22100-0800 | |
| General Product Information | |
| Dimensions LxWxH | 2'0"x4'2"x2'0" |
| Age group | 13+ |
| Play capacity (users) | 1 |
| Color options | |



See KOMPAN Fit App for More Information

The Jump Pod Set includes three pods of progressing heights of 4, 12" and 24". When you combine these heights and arrange them at varying distances, they are a great addition to any obstacle course. The materials for the surface of the pods are carefully chosen to provide a textured and stable surface, even when it is wet."



Jump Pod Set

FSW221



Stepping point is made of SBR rubber. It has good heat and abrasion resistance.

The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.



| | |
|---------------------------------|--------------------------|
| Item no. FSW22100-0800 | |
| Installation Information | |
| Max. fall height | 2'0" |
| Safety surfacing area | 102ft ² |
| Total installation time | 1.7 |
| Excavation volume | 0.42yd ³ |
| Concrete volume | 0.12yd ³ |
| Footing depth (standard) | 2'10" |
| Shipment weight | 116lbs |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| Hot dip galvanized steel | Lifetime |
| SBR rubber | 2 Years |

ASTM
F3101
compliant

Sustainability Data

FSW221



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| FSW22100-0800 | 125.30 | 2.23 | 22.70 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Jump Pod Set

FSW221

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)