

Gyngestativ til 8 sæder, H: 2,5 m

KSW928

KOMPAN
Let's play

Varenr. KSW928-0910

Generel produktinformation

Dimensioner LxBxH 1400x184x257 cm

Alder 2+

Antal brugere -

Farvemuligheder



Kombination af gyngestativer



Gyngestativ til 8 sæder, H: 2,5 m

KSW928

Varenr. KSW928-0910		
Installationsinformation		
Installationstid (timer)		11,6
Udgravningsmængde		2,63 m³
Betonmængde		0,00 m³
Forankringsdybde		90 cm
Fragtvægt		524 kg
Forankringsmuligheder	I jorden	✓
Garanti		
Galvaniseret stål		Livstid
Bevægelige dele		2 år
Stolpe		10 år
Garanterede reservedele		10 år



Sustainability Data

KSW928



Vugge-til-port A1-A3	Total CO ₂ udledning	CO ₂ e/kg	Genanvendte materialer
	kg CO ₂ e	kg CO ₂ e/kg	%
KSW928-0910	1.180,20	3,18	46,70

Den overordnede ramme for disse faktorer er Environmental Product Declaration (EPD), som kvantificerer "miljøoplysninger om et produkts livscyklus og muliggør sammenligninger mellem produkter, der opfylder samme funktion" (ISO, 2006). Dette følger strukturen og anvender en livscyklusvurderingstilgang til hele produktfasen fra råvarer til fremstilling (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

