

# Villa Playhouse




M7000



With its child scale size (roof height 4'9") the red house is a play motivator for the youngest. The open ends and walls widen the play space, making room for a lot of children playing from the outside also. The desks and manipulative elements are reachable from the outside, too, providing play all around. The rounded desk and the porch seat invite meeting and

exchanging, making this house a haven for social play. The red house stimulates dramatic play. It invites and retains children's role play with manipulative elements that can be shifted and turned. These elements stimulate the understanding of cause and effect and the child's cognitive development. They give the children something to talk about and include in

dramatic play. This affects their communication and language developments and encourages turn taking, building up social skills.

|                             |   |
|-----------------------------|---|
| Item no. M700078-3518P      |   |
| General Product Information |   |
| Dimensions LxWxH            | 6'1"x4'4"x4'9"  |
| Age group                   | 2 - 5   |
| Play capacity (users)       | 12  |
| Color options               |    |



# Villa Playhouse

M7000

**KOMPAN**  
Let's play



## Bench

**Social-Emotional:** gathering, cooperating or taking a break from play all train social skills.



## Sand bowl in desk

**Social-Emotional:** meeting point for cooperation and sharing. **Cognitive:** construction play storage – playing with sand here promotes thinking skills.



## Triangle in groove

**Cognitive:** cause and effect understanding when manipulating the triangle. **Creative:** leave a mark and place the triangle at different positions.



## Theme

**Cognitive:** suggests a theme and supports dramatic play, which stimulates language and communication skills.



## Turning wheel

**Social-Emotional:** develops turn-taking, communication and cooperation. **Cognitive:** the manipulative item stimulates cause and effect understanding, logical thinking and communication. **Creative:** working with moveable play items that can leave a mark supports the child's creativity.

# Villa Playhouse

M7000



All floors are made of High Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.

Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.

The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.

|                          |                          |
|--------------------------|--------------------------|
| Item no. M700078-3518P   |                          |
| Installation Information |                          |
| Max. fall height         | 0'0"                     |
| Safety surfacing area    | 0ft²                     |
| Total installation time  | 7.5                      |
| Excavation volume        | 0.27yd³                  |
| Concrete volume          | 0yd³                     |
| Footing depth (standard) | 2'2"                     |
| Shipment weight          | 424lbs                   |
| Anchoring options        | In-ground ✓<br>Surface ✓ |
| Warranty Information     |                          |
| EcoCore HDPE             | Lifetime                 |
| Hot dip galvanized steel | Lifetime                 |
| HPL decks                | 15 Years                 |
| Movable parts            | 2 Years                  |
| Spare Parts Availability | 10 Years                 |



The control unit placed on the front of the play house is turn able to different positions with a click sound. It's designed to function as a train station when installed together with M525+M526 Train & Wagon.

KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCore™ panels of 100% post-consumer recycled ocean waste.

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present               | 0                              | 1                                  | 1                                  |
| Required              | 0                              | 1                                  | 1                                  |



# Sustainability Data

M7000



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| M700078-3518P        | 223.50                         | 1.46                    | 70.30              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



### Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025  
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000




# Villa Playhouse


M7000

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M700078  
\*\* 4'-9" / 146cm



M700078

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)