


Movable Hammocks

PCM701



| | |
|-----------------------------|------------------|
| Item no. PCM701-0902 | |
| General Product Information | |
| Dimensions LxWxH | 10'10"x8'0"x2'2" |
| Age group | 5 - 12 |
| Play capacity (users) | 6 |
| Color options | ● |



WOW! The Movable Hammocks take the prize as the most fun and interesting meeting point on ground level: The two hammocks can be run from side to side, placed closer together or further apart. This creates an adjustable, swaying platform for socializing. Young people are highly attracted to items that respond to movement, and the hammocks, rail and seating

combinations support fun body positions. Children can be seated, lying, standing or kneeling when relaxing together. This makes the Movable Hammocks relevant for most ages and users, including users with disabilities. The movability of the hammocks invites cooperation and teaches cause and effect. The gentle, swaying feel when lying in

the hammock is a soothing motion, known to calm down anxiousness. All in all, pleasant furniture for playful meetings.


Movable Hammocks

PCM701



Movable hammock

Physical: sense of balance when swaying, body pressure when lying. Support users lying or seated. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Creative:** changing direction and position of hammock.



Movable Hammocks

PCM701



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The stainless-steel activities are made of high-quality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.



Belt seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. All materials are stabilized to a maximum without use of heavy metal stabilizers.



Overhead Turbo Challenge have a base of hot dip galvanization and a powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.

| | |
|--------------------------|--------------------------|
| Item no. PCM701-0902 | |
| Installation Information | |
| Max. fall height | 1'11" |
| Safety surfacing area | 315ft² |
| Total installation time | 5.2 |
| Excavation volume | 0.29yd³ |
| Concrete volume | 0.05yd³ |
| Footing depth (standard) | 2'9" |
| Shipment weight | 302lbs |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| EcoCore HDPE | Lifetime |
| Membrane | 2 Years |
| Post | 10 Years |
| Ropes & nets | 10 Years |
| Spare Parts Availability | 10 Years |

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present | 0 | 1 | 1 |
| Required | 0 | 1 | 1 |

**ASTM
F1487**
compliant

Sustainability Data

PCM701



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| PCM701-0902 | 424.80 | 4.00 | 37.50 |


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Movable Hammocks

PCM701

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)