




Sunflower

M951



The soft blue rubber hammock seat of the Sunflower supports the child's body in a short swinging movement when lying on the stomach, sitting on the knees or being seated. This gives the 1-4yearolds the opportunity of swinging with no adult assistance. The sunflowers on the swing posts signal play from far away and can be turned by older children or adults.

| | |
|-----------------------------|---|
| Item no. M95172-3717P | |
| General Product Information | |
| Dimensions LxWxH | 125x37x137 cm |
| Age group | 1+ |
| Play capacity (users) | 1 |
| Colour options |   |



Sunflower

M951



Turnable daisies

Cognitive: sense of wonder and the understanding of cause and effect when manipulating something to turn.



Low, rubber swing seat

Physical: support for pushing with feet, developing leg muscles and sense of balance, coordination, as well as spatial awareness.
Social-Emotional: self-confidence is fostered from being able to do it yourself. **Cognitive:** understanding of cause and effect.

Sunflower

M951




The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The seat is made of PUR very durable material.



Swing suspensions are made of polyamide and consist of double ball bearing system with swivel.



Turnable daisies are made of 19mm EcoCore™ HDPE which is a highly durable, eco-friendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.




The steel pipes are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

| | |
|---------------------------------|--------------------------|
| Item no. M95172-3717P | |
| Installation Information | |
| Max. fall height | 80 cm |
| Safety surfacing area | 8.4 m² |
| Total installation time | 3.3 |
| Excavation volume | 0.45 m³ |
| Concrete volume | 0.25 m³ |
| Footing depth (standard) | 90 cm |
| Shipment weight | 50 kg |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| Hot dip galvanised steel | Lifetime |
| Movable parts | 2 years |
| Spare parts guaranteed | 10 years |
| Swing hangers | 5 years |
| Swing seat | 10 years |



Sustainability Data

M951



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| M95172-3717P | 130.80 | 2.80 | 47.50 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Sunflower

M951


* Max fall height | ** Total height | *** Safety surfacing area



M95175
*80cm
**137cm
***8.4m²

[Click to see TOP VIEW](#)

* Max fall height | ** Total height



M95175

[Click to see SIDE VIEW](#)