



# Tick-Tock

M631




Item no. M63170-3417P	
General Product Information	
Dimensions LxWxH	67x54x61 cm
Age group	1+
Play capacity (users)	2
Colour options	 



Amazing! The Tick-Tock appeals immensely to infants and toddlers with its whimsical shape and vibrant colours. It is lovely for the smallest children who want to join the playground play. The tactile elements of the Tick-Tock inspire exploration. Young children will discover that the Tick-Tock responds to their actions: when they handle the manipulative wheel, gear and

play sphere, there is a possibility to alter positions. This supports cause-and-effect understanding and logical thinking in the infants. Toddlers who are just beginning to play pretend will delight in imagining they are driving a vehicle. This will add topic of conversation with adults and peers, which will support verbal interaction. Fascinating, infant sized and infant

inspired play.



# Tick-Tock

M631



## Play sphere

**Social-Emotional:** can be played from both sides, encouraging cooperation. **Cognitive:** cause and effect understanding. **Creative:** leave a mark and place the spheres at different positions.



## Gear shift

**Social-Emotional:** cooperation, turn-taking, sharing. **Cognitive:** suggests a theme and supports dramatic play, which stimulates languages skills.




## Turning wheel


**Social-Emotional:** develops turn-taking, communication and cooperation. **Cognitive:** the manipulative item stimulates 'cause and effect' understanding, logical thinking and communication. **Creative:** working with moveable play items that can leave a mark supports the child's creativity.

# Tick-Tock

M631



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Play spheres are made from PP, which is durable and impact resistance.

Item no. M63170-3417P

## Installation Information

Max. fall height	0 cm
Safety surfacing area	10.0 m²
Total installation time	1.8
Excavation volume	0.23 m³
Concrete volume	0.00 m³
Footing depth (standard)	60 cm
Shipment weight	21 kg
Anchoring options	In-ground ✓ Surface ✓

## Warranty Information

EcoCore HDPE	Lifetime
Movable Parts	2 years
HPL Decks	15 years
Spare Parts Guarantee	10 years



# Sustainability Data

M631



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
M63170-3417P	28.60	1.53	52.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**  
**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
www.bureauveritas.dk  
+45 7731 1000



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M63170P  
\*\*61cm  
\*\*\*10m<sup>2</sup>



M63170P

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)