

# Multisport Poles (10 m net)

FRE3030

Item no. FRE3030-3417

## General Product Information



Dimensions LxWxH	0'0"x0'0"x8'7"
Age group	5+
Play capacity (users)	-
Color options	●



Multisport Poles support Nets that can be used for all kinds of games, including tennis, badminton, volleyball, pickle-ball, or anything you can invent!

# Multisport Poles (10 m net)

FRE3030



Nets and ropes are made of UV-stabilized PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

The net is secured with rope clamps (DIN741) at the top using a 3mm steel cable which is covered with 1mm Green tubing. The cable ends are closed using an aluminum talorit creating a fastening loop with a diameter of 10mm.

All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.



Pole tops are molded of thermoplastic rubber (TPV) with a steel inlay. TPV is highly durable against wear and tear, and the steel inlay secures durability.

Item no. FRE3030-3417

## Installation Information


Max. fall height	0'0"
Safety surfacing area	0ft <sup>2</sup>
Total installation time	0.9
Excavation volume	0.29yd <sup>3</sup>
Concrete volume	0.29yd <sup>3</sup>
Footing depth (standard)	2'4"
Shipment weight	122lbs
Anchoring options	In-ground ✓

## Warranty Information

HDG post	Lifetime
Spare Parts Availability	10 Years

# Sustainability Data

FRE3030



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>FRE3030-3417</b>	147.70	2.57	46.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Sport



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000




# Multisport Poles (10 m net)

FRE3030

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)