



Agility Trail 3

NRO862



Item no. NRO862-1001	
General Product Information	
Dimensions LxWxH	1366x148x240 cm
Age group	6+
Play capacity (users)	13
Colour options	 



The Agility Trail 3 is a challenge that children of ages 6 to 12 will want to take on. The variation in hanging, crawling, and balancing activities will make children come back, again and again, to test their abilities while having fun! The activities exercise upper body strength, coordination, and balance. It is also a great course for confidence building, or simply

playing 'Don't touch the ground'. It is made of natural Robinia timber, which provides an organic structure that can either blend into or stand out from your surroundings. Children can touch and feel the timber while playing, observing how nature inspiration interacts with the built environment.

Agility Trail 3

NRO862



Cave bridge

Physical: crawling in the cave bridge net develops cross-body coordination, proprioception and spatial awareness. **Social-Emotional:** cooperation and socializing with others in and around the net, turn-taking.



Parallel bars

Physical: parallel bar walking is a great way to engage the shoulders, chest, and arms through a challenging pushing movement.



Net crossing

Physical: cross coordination, spatial awareness and muscle strength are trained when climbing in the net. **Social-Emotional:** passing others when climbing through trains turn-taking skills and consideration.



Monkey bar

Physical: the upper body muscles are developed immensely with coordination and trunk stability. This type of training is great for cross coordination



Balance beam

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. **Social-Emotional:** turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.

Agility Trail 3

NRO862



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated to create a strong connection between steel and rope, which leads to durable weather resistance.



Overhead climbing handles are made of high-quality stainless steel. The handles are attached to the upper Robinia crossbeam by stainless steel hardware.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO862-1001	
Installation Information	
Max. fall height	189 cm
Safety surfacing area	61.1 m ²
Total installation time	14.1
Excavation volume	1.51 m ³
Concrete volume	0.91 m ³
Footing depth (standard)	100 cm
Shipment weight	760 kg
Anchoring options	In-ground ✓
Warranty Information	
Robinia Wood	15 years
Ropes & Nets	10 years
Spare Parts Guarantee	10 years
Stainless Steel Components	Lifetime
Stainless Steel Components	Lifetime



Sustainability Data

NRO862



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO862-1001	209.10	0.35	2.90

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Agility Trail 3


NRO862

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO862
*189cm
**240cm
***51.1*



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)