


Basketball Goal (freestanding)

FRE3020



Item no. FRE3020-3717

General Product Information

Dimensions LxWxH	0x0x368 cm
Age group	3+
Play capacity (users)	-
Colour options	

A basketball goal can be used by only one person, two or a whole group simultaneously. Here everyone can join in and it's easy to walk to and from the game. The basket is mounted at a height of 10 feet (305 cm), according to the official regulations.



Basketball Goal (freestanding)

FRE3020



Choices of nets include; polyamide (PA), PA reinforced with steel wire, or stainless steel chains.



All steel components are manufactured from high-quality carbon steel and are hot-dip galvanised (HDG).

Item no. FRE3020-3717	
Installation Information	
Max. fall height	0 cm
Safety surfacing area	0.0 m²
Total installation time	2.9
Excavation volume	0.32 m³
Concrete volume	0.21 m³
Footing depth (standard)	90 cm
Shipment weight	192 kg
Anchoring options	In-ground ✓
Warranty Information	
EPDM Components	2 years
HDG Post	Lifetime
Spare Parts Guarantee	10 years



Sustainability Data

FRE3020



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FRE3020-3717	272.30	2.31	56.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Basketball Goal (freestanding)

FRE3020

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)