

# Train Coupling

M529



The Coupling “connects” the Steam Engine with the Railway Carriage, and/or simply functions as a place to sit.

Item no. M52900-3317P	
General Product Information	
Dimensions LxWxH	55x55x28 cm
Age group	2+
Play capacity (users)	1
Colour options	●



# Train Coupling

M529

Item no. M52900-3317P	
<b>Installation Information</b>	
Max. fall height	28 cm
Safety surfacing area	9.9 m²
Total installation time	1.4
Excavation volume	0.11 m³
Concrete volume	0.00 m³
Footing depth (standard)	47 cm
Shipment weight	16 kg
Anchoring options	In-ground ✓ Surface ✓
<b>Warranty Information</b>	
Hot dip galvanised steel	Lifetime
HPL seat	15 years
Spare parts guaranteed	10 years



# Sustainability Data

M529



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>M52900-3317P</b>	34.70	2.40	18.20


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

# Train Coupling


M529

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M52900P  
\*28cm  
\*\*28cm  
\*\*\*9.9m<sup>2</sup>



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)