


Embankment Slide

M365



An ideal solution is to place the slide onto a slope or embankment. This effectively reduces the risk of falling, even on long slides. Fitted with a blue bar on top to make sure that only sliding children are allowed access.

Item no. M36570-3418P	
General Product Information	
Dimensions LxWxH	62x255x67 cm
Age group	2+
Play capacity (users)	3
Colour options	



Embankment Slide

M365



Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** young children develop their understanding of space, speed and distances when sliding down quickly.



Embankment Slide

M365



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The stainless-steel slides with one-piece slide bed are made of high-quality stainless-steel AISI 304.



Handle is made of polypropylene PP with excellent impact strength and usable within a large temperature span.

Item no. M36570-3418P	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	15.0 m²
Total installation time	3.4
Excavation volume	0.21 m³
Concrete volume	0.00 m³
Footing depth (standard)	95 cm
Shipment weight	141 kg
Anchoring options	In-ground ✓
Warranty Information	
EcoCore HDPE	Lifetime
Spare parts guaranteed	10 years
Stainless steel slide	10 years



Sustainability Data

M365



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M36570-3418P	137.80	1.78	64.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Embankment Slide


M365

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M36570
*100
**67cm
***15m²



M36570

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)