

Balance Beam

KPL819



Item no. KPL819-0601

General Product Information

Dimensions LxWxH	10x300x30 cm
Age group	4+
Play capacity (users)	2
Color options	



Balancing is always an attractive activity to children. This balancing beam invites children to compete individually or against other children. Through play children train and develop their balance and coordination, but they also use the balancing beam as a nice place to gather.



Balance Beam

KPL819



Balance beam

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. **Social-Emotional:** turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.



Balance Beam

KPL819



Beams are made of pine wood from sustainable European sources. The wood is pressure impregnated Class 3 with Tanalith E3475 according to EN335 (Equivalent to NTR Class AB).


The steel surfaces are hot dip galvanised inside and outside with lead free zinc and with powder coated top-finish. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. KPL819-0601	
Installation Information	
Max. fall height	30 cm
Safety surfacing area	16.6 m ²
Total installation time	1.1
Excavation volume	0.30 m ³
Concrete volume	0.13 m ³
Footing depth (standard)	60 cm
Shipment weight	27 kg
Anchoring options	In-ground ✓
	Surface ✓



Sustainability Data

KPL819



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
KPL819-0601	26.60	0.97	15.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Balance Beam


KPL819

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KPL819-xx01
*30cm
**30cm
***16.6m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)