

Robinia Multi Timer

FRO222



| Item nummer FRO222-1001 | |
|-----------------------------|--------------|
| Algemene Product Informatie | |
| Afmetingen LxBxH | 44x29x179 cm |
| Leeftijdsgroep | 13+ |
| Speelcapaciteit | 4 |
| Kleuropties | |

Het is zeer waardevol als je tijdens het trainen goed de tijden bij kunt houden. Het bijhouden van tijden geeft structuur aan workouts en maakt de resultaten meetbaar, wat bijzonder motiverend werkt. Gebruikers kunnen hun workout continu bijstellen en verbeteren om hun uiteindelijke doel te bereiken. De Multi Timer is ook tijdens de workout goed leesbaar


en geeft een duidelijk auditief en visueel signaal bij het begin en einde van een activiteit. Er zijn 5 timerfuncties

1. Stopwatch
2. Tabata Timer (20/10 sec)
3. Interval Timer (30/10 sec)
4. HIIT (40/20 sec)
5. EMOM (60 sec)



Robinia Multi Timer

FRO222




The reflective LCD display has four digits of 100mm height, with excellent outdoor visibility and a wide viewing angle. An LCD display has a low energy consumption, It is powered by 8 replaceable AA batteries with a lifespan of more than 2 years.

Front panels are made of UV-stabilized Polycarbonate. The UV-stabilization prevents the Transparent panels in being yellow over time and ensures the mechanical performances. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and outer transparent layer functions as protection. The lacquer is water-based, and UV stabilized to prevent fading.



The push buttons and the housing for the push buttons are made from Polyamide (PA6). The buttons contain a magnet which activates a contactless reed switch when the buttons are pushed. This ensures high durability of the system.



There are 5 timer functions1. Stopwatch 2. Tabata Timer (20/10 sec)3 Interval Timer (30/10 sec)4. HIIT (40/20 sec)5. EMOM (60 sec)



Robinia Posts are made from de-barked and sap free Robinia trunks in various dimensions. Robinia is a native European wood specie with high strength and natural durability in various climatic conditions. The low degree of fabrication allows for a very natural look leaving posts bend and winding in some degree.



The loudspeaker is a piezoelectric speaker with a sound level of 90dB, and low power consumption. As power source we use eight standard AA 1,5V replaceable batteries with a capacity of 2.95Ah. The expected lifetime of the batteries is two years, depending on usage. It is recommended to inspect the batteries yearly. The batteries are placed in two sealed battery boxes with a protection class of IP65.

| Item nummer FRO222-1001 | |
|---------------------------------|----------------------------|
| Installatie informatie | |
| Max. valhoogte | 0 cm |
| Veiligheidszone | 0,0 m² |
| Totale installatietijd | 1,5 |
| Graafwerk (vol.) | 0,03 m³ |
| Benodigd beton | 0,01 m³ |
| Verankeringsdiepte | 100 cm |
| Verzendingsgewicht | 79 kg |
| Verankeringsopties | In-ground ✓ Oppervlak ✓ |
| Garantie informatie | |
| Aluminium klemmen | 10 jaar |
| EcoCore HDPE | Levenslang |
| Elektronica | 2 jaar |
| Robinia hout | 15 jaar |
| Gegarandeerde reserveonderdelen | 10 jaar |



Sustainability Data

FRO222



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| FRO222-1001 | 53,30 | 0,95 | 11,20 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Robinia Multi Timer


FRO222

Max. valhoogte | Totale Hoogte | Veiligheidszone

Max. valhoogte | Totale Hoogte



FRO222
**179cm



FRO222

[Bekijk BOVENAANZICHT](#)

[Bekijk ZIJAANZICHT](#)