


Campetto Cosmos, 19x36m

FRE2116


KOMPAN
Let's play



Codice articolo FRE2116-3317

Informazioni generali prodotto

Dimensioni (LxLxA)	3662x1980x370 cm
Età d'uso	3+
Capacità di gioco	-
Opzioni colori	●



Un campo multisport include due porte con canestri da basket integrati e una rete multisport regolabile in altezza al centro dell'area di gioco. I pannelli nell'area delle porte sono caratterizzati da motivi sportivi incisi. Le porte sono dotate di barriere rimovibili di protezione per l'accesso delle sedie a rotelle e le barriere inferiori hanno un profilo più basso a

protezione del bordo del campo con fori di drenaggio per l'acqua. Il campo è basato su un sistema modulare. Le dimensioni del campo possono essere personalizzate in base alle specifiche esigenze. I pannelli in polietilene HD possono essere forniti in diversi colori standard. Il campo può anche essere equipaggiato con una serie di attività

aggiuntive



Campetto Cosmos, 19x36m

FRE2116



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.



The goal measures ~140cm in depth and ~330cm in width with all posts made of galvanized steel with a hot dip galvanized surface treatment. The front frame is made with Ø48 tubing, and the backside of the goal uses 10 tubes with a diameter of ø38.



The HDPE panels are made with +95% recycled post-consumer material from e.g., food packing waste. Available in Night Sky Blue, but multiple colours can be requested. To increase the play value, you can also request HDPE panels with patterns or logos engraved.



Pole tops are molded of thermoplastic rubber (TPV) with a steel inlay. TPV is highly durable against wear and tear, and the steel inlay secures durability.




The basketball hoop is made from hot dipped galvanized steel with a powder coated finish and a backboard made from +95% PCR HDPE. The net is made from 100% nylon, with a circumference of ~Ø30cm at the bottom and ~Ø50cm at the top. The net can also be supplied with steel reinforced PA net or steel chains.

Codice articolo FRE2116-3317	
Informazione installazione	
Max. altezza di caduta	0 cm
Superficie di sicurezza	0,0 m²
Tempo d'installazione totale	104,3
Volume di scavo	5,25 m³
Volume di calcestruzzo	5,12 m³
Profondità di base (standard)	70 cm
Peso della spedizione	5.285 kg
Opzioni ancoraggio	Interrato ✓
Garanzie	
EcoCore	Garanzia a vita
Pali in acciaio HDG	Garanzia a vita
Garanzia pezzi di ricambio	10 anni



Sustainability Data

FRE2116



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FRE2116-3317	8.514,90	1,91	66,60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Campetto Cosmos, 19x36m

FRE2116

Altezza di caduta massima | Altezza totale | Superficie di sicurezza

Altezza di caduta massima | Altezza totale



[Fai clic per visualizzare il rapporto VISTA SUPERIORE](#)

[Fai clic per visualizzare il rapporto VISTA LATERALE](#)