

# Five-Way Swing



NRO903

**KOMPAN**  
Let's play



The Five-Way swing is a modern playground favourite! Five children or adults can swing together, trying almost to touch their feet in the middle. It is sociable and fun, and the seat heights vary to cater for different age groups. Combine that with the natural look and feel of Robinia, which provides an organic structure that can either blend into or stand out from your

surrounds. Children can touch and feel the timber while playing, observing how nature inspiration interacts with the built environment

Item no. NRO903-1001	
General Product Information	
Dimensions LxWxH	525x499x260 cm
Age group	3+
Play capacity (users)	5
Colour options	 




# Five-Way Swing

NRO903



## Five-way swing

**Physical:** balance, coordination and spatial awareness are trained when swinging. All necessary when judging distances and managing traffic safely. **Social-Emotional:** parallel play invites cooperation and consideration. **Cognitive:** 'Cause and effect' understanding, managing rhythm and thinking skills for younger children when swinging. Rules games for bigger children.



## Swing seat with safety chain

**Physical:** the curved swing seat supports a safely seated position that encourages solid swinging. **Social-Emotional:** the chain minimizes the risk of children jumping off toward the middle, hitting each other.

# Five-Way Swing

NRO903



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The standard seats of KOMPAN swings are engineered for maximum safety and durability. The seat two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot-dip galvanised steel or stainless steel for all swings heights.



The swing hangers are made of high-quality UV-stabilised nylon (PA6) housing with integrated lifetime sealed ball bearings. The adjustable height chains are fixed by a stainless steel hook with theft-proof snake-eye bolt in a turnable anti-twist housing.

Item no. NRO903-1001	
<b>Installation Information</b>	
Max. fall height	140 cm
Safety surfacing area	49.5 m²
Total installation time	12.1
Excavation volume	0.35 m³
Concrete volume	0.19 m³
Footing depth (standard)	100 cm
Shipment weight	788 kg
Anchoring options	In-ground ✓
<b>Warranty Information</b>	
Robinia Wood	15 years
Stainless Steel Components	Lifetime
Chains	10 years
Spare Parts Guarantee	10 years



The Robinia wood can be supplied as untreated raw wood, painted with a brown coloured transparent pigment that maintains the golden wood colour or in a coloured version where selected components are painted in different colours.



# Sustainability Data

NRO903



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
NRO903-1001	184.70	0.32	2.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**KOMPAN**  
Let's play

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Five-Way Swing

NRO903

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)