

FunPoint, Hangout


PCT804



The circular shaped, cool-colored, gently swaying hangout pods of the FunPoint, Hangout attract younger children and tweens alike. With their soft membrane swaying seats that have room for more children seated or hanging in each seat, the hangout pods have children come back to play and exchange again and again. The swaying movements,

apart from being pleasant, also train the sense of space and balance when children rock mildly – or wildly – back and forth. The soothing movements make for longer meetings and conversations with friends, negotiating and turn-taking who is to sit or hang where next. The meeting point character also makes the FunPoint, Hangout perfect as a point to retract

to in the play area.

产品编号 PCT804-0901	
产品信息概览	
长宽高尺寸	499x438x320 cm
适用年龄段	6+
容纳人数	6
颜色选择	



FunPoint, Hangout

PCT804



休闲座椅

身体素质：坐着和躺着都能享受摇摆动作带来的平衡感。**社交情感：**在聚会期间大家可以在此休息。轮流发言有助于学习避免冲突所需的技能。



FunPoint, Hangout


PCT804



游戏舱设计为两个钢环的焊接框架，这些钢环经过热浸镀锌和粉末涂层处理。软膜由输送带质量的抗磨橡胶材料制成，具有出色的抗紫外线性。



粉末涂层的立柱由高质量的预镀锌钢制成，顶部涂层为粉末涂层。柱顶用防紫外线的尼龙（PA6）盖封闭。



钢表面在内部和外部均用无铅锌进行热浸镀锌。镀锌在外部环境中具有出色的耐腐蚀性，并且维护成本低。

产品编号 PCT804-0901	
安装信息	
最大跌落高度	34 cm
安全面积	41.7 m²
安装总时长	10.1
开挖量	3.01 m³
混凝土使用量	0.00 m³
标准入地深度	90 cm
运输重量	437 kg
固定选项	入地 ✓ 地表 ✓
质保信息	
镀锌钢结构	终身质保
橡胶软膜	2 年
喷涂顶层	10 年
承保零部件	10 年



Sustainability Data

PCT804



从原材料到成品	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
PCT804-0901	1,010.10	3.02	40.80

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。



Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




PCT804

最大跌落高度 | 总高度 | 安全区域

[点击查看俯视图](#)

最大跌落高度 | 总高度

[点击查看侧面图](#)