


Honeycomb Trail



CRP251301



Honeycomb Trail 是一种多功能、透明的攀爬和聚会活动组合，会一次又一次地吸引孩子们。在 Honeycomb Trail 这样的游戏组合中，循环活动引出了 "地面是熔岩" 等经典游戏，这些游戏除了有趣之外，还能训练儿童的敏捷性、平衡性和协调性。这些基本运动技能有助于儿童今后掌握一系列生活技能。高空、跨身和攀爬活动的组合还能锻炼肌肉和动作控制能力。此外，反应灵敏、

摇摆不定的绳索和绳网还能支持社交游戏，因为孩子们可以在整个游戏内可以相互观看。地面上的许多水平绳索也鼓励孩子们聚会。

产品编号 CRP251301-0903	
产品信息概览	
长宽高尺寸	614x537x257 cm
适用年龄段	6+
容纳人数	20
颜色选择	




Honeycomb Trail

CRP251301



Tightrope

身体素质：训练肢体协调能力和肌肉力量。大网格可用于攀爬和爬行，训练本体感觉和空间意识。**社交情感：**大网格可以让更多的孩子坐在一起分享交流。




Vertical climbing net

身体素质：儿童在攀爬时可发展身体的交叉协调能力。手臂、腿部和核心肌肉得到加强训练，这些对于姿势控制和静坐都很重要。**社交情感：**the meshes allow for more children to sit together and talk.



Balancing ropes

身体素质：holding onto the swaying upper rope when balancing on the swaying lower rope makes excellent training of the sense of balance and trunk muscles. These abilities are fundamental for being able to sit still. **社交情感：**there is room for more than one and cooperating with friends on walking over the swaying ropes is a true cooperation task that requires teamwork and tolerance.



Shaky pods rope

身体素质：可以训练平衡感和空间感，以及身体姿势，对静坐能力非常重要。**社交情感：**培养合作、轮流意识，鼓励友好竞赛。



椰子绳

身体素质：走摇摆绳可以训练平衡和协调能力。良好的平衡感可用于其他技能，如在椅子上坐稳。跳下时可增强骨密度。**社交情感：**孩子们一起在绳索上摇摆，体验自己和他人的动作。在绳索上与他人擦肩而过时会激发合作意识和同理心。

Honeycomb Trail

CRP251301



绳索由防紫外线的 PES 绳股制成，并带有内部钢绞增强件。聚酯包裹的绳股经过感应处理，熔化到每根单独的丝束上，以获得优异的耐磨性和抗撕裂性。



Corocord“S”扣在 Corocord 产品中作为通用连接。用特殊的液压机将带有圆形边缘的 8mm 不锈钢条压在绳索周围，使其成为理想的连接部件。其安全、耐用且防破坏，适用于攀爬网络游戏结构中的典型游戏运动。



椰子风格的 PP 绳直径为 150 毫米。内部钢丝芯的两端都有针箍，将绳索固定到现有连接元件上。



彩色钢部件具有热浸镀锌的基础和粉末涂层的顶部涂层 这在世界各地的所有气候条件下都具有极高的耐腐蚀性。其他钢表面在内部和外部均用无铅锌进行热浸镀锌。



Corocord 智能夹在每个细节上都经过精心设计，以确保高品质铝材料的卓越灵活性。智能夹用四个钢螺栓固定在柱子周围。未使用的连接点用 PA 盖关闭。




19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的芯。

产品编号 CRP251301-0903	
安装信息	
最大跌落高度	240 cm
安全面积	62.4 m²
安装总时长	16.1
开挖量	10.58 m³
混凝土使用量	5.88 m³
标准入地深度	90 cm
运输重量	680 kg
固定选项	地表 ✓ 入地 ✓
质保信息	
铝夹	10 年
镀锌钢结构	终身质保
喷涂顶层	10 年
绳网	10 年
承保零部件	10 年



Sustainability Data

CRP251301



从原材料到成品	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
CRP251301-0903	1,698.50	3.74	41.40

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Corocord



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.: COR314011-1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Honeycomb Trail

CRP251301

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)