

# Water Tap


M59305



Item no. M59305-34

**General Product Information**

|                       |   |
|-----------------------|---|
| Dimensions LxWxH      | 29x17x107 cm  |
| Age group             | 2+  |
| Play capacity (users) | 1   |
| Colour options        |  |



The water tap is a fantastic play invitation, with the unique universal design it attracts all children. Pushing the tap and feeling the sensation of water streaming will stimulate children's thinking skills and their understanding of cause and effect. Furthermore, the tactile stimulation is intense. Merging water with sand will inspire hours of

creative play, shaping and building sand, getting to know the changing characteristics of sand when it is dry and when it is wet and can be shaped.



# Water Tap

M59305



## Water tap

**Social-Emotional:** develops turn-taking and cooperation when helping get water. Opens when pushed with hand, elbow, foot, chin or shoulder. Placed to also be reachable from a seated position. **Cognitive:** supports 'cause and effect' understanding and logical thinking when figuring out how to push for water and let go for stopping the water stream. **Creative:** changing the amounts and sequences of the water flow.



# Water Tap

M59305



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The panel is manufactured from 19mm EcoCore™ HDPE. This highly durable, eco-friendly material is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The integrated water tap open for water when pushed and stops when letting go. The water is supplied through a pipe located inside the post with hose or pipe connection at the bottom of the post. The supply can either be a loose hose or a permanent in-ground plumbing.

|                          |                          |
|--------------------------|--------------------------|
| Item no. M59305-34       |                          |
| Installation Information |                          |
| Max. fall height         | 0 cm                     |
| Safety surfacing area    | 8.2 m²                   |
| Total installation time  | 1.3                      |
| Excavation volume        | 0.38 m³                  |
| Concrete volume          | 0.30 m³                  |
| Footing depth (standard) | 90 cm                    |
| Shipment weight          | 25 kg                    |
| Anchoring options        | In-ground ✓<br>Surface ✓ |
| Warranty Information     |                          |
| EcoCore HDPE             | Lifetime                 |
| Galvanised Steel         | Lifetime                 |
| Movable Parts            | 2 years                  |
| Solid plastic parts      | 10 years                 |
| Spare Parts Guarantee    | 10 years                 |

**AS**  
**4685**  
compliant

# Sustainability Data

M59305



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| M59305-34            | 48.60                          | 2.41                    | 37.70              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**  
**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
www.bureauveritas.dk  
+45 7731 1000





# Water Tap

M59305

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M59305  
1:100

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)