

# Combi 3

FPW103



产品编号 FPW10300-0900

### 产品信息概览

长宽高尺寸	725x434x240 cm
适用年龄段	8+
容纳人数	8
颜色选择	

This overhead ladder is wide and high to ensure anyone can hang and move freely. To make sure that everyone can reach the overhead ladder there are 4 stepping pods at different heights. The complete street workout experience, features all essential elements while inviting users to creatively find their way from one side to the other. As such the Combi 3

is perfect for parkour, allowing for an infinite range of movement. The Pull Up Bar is made from solid steel and has a diameter of Ø32 mm, an ideal size for both men ,women and kids to have a good grip. As the Bar hangs at a height of 233 cm everyone will be able to hang freely and use the bar for a variety of Pull Ups.



# Combi 3


FPW103



立柱由 Ø101.6x 2mm 制成，预镀锌碳钢，粉末涂层，可在所有情况下提供出色的保护。



连接器是由压铸铝，适合户外环境和高频率使用。连接的螺丝是不锈钢的，并由锌垫圈保护。



所有用于引体向上的拉杆是由 Ø32mm x 138mm，坚固的热浸镀 S235JR 钢条制成。这个直径为每个人都提供了良好的抓握力。

产品编号 FPW10300-0900	
安装信息	
最大跌落高度	233 cm
安全面积	54.3 m²
安装总时长	7.7
开挖量	1.31 m³
混凝土使用量	0.67 m³
标准入地深度	90 cm
运输重量	397 kg
固定选项	
质保信息	
接口	10 年
镀锌钢结构	终身质保
立柱	10 年
绳网	10 年
承保零部件	10 年



FSW 209 的特点是在 3 个高度上有 3 个 38x2mm 的俯卧撑支杆，分别为 38cm, 58cm 和 133cm。



Corocord 16mm 绳索是特殊的“大力神”型绳索，具有镀锌四股钢丝和钢丝芯。每根钢丝束都用 PES 纱紧密包裹，然后将其熔化到每根单独的钢丝束上。这些绳索具有很高的耐磨性和防破坏性，可以根据需要现场更换。



# Sustainability Data

FPW103



## 从原材料到成品

CO<sub>2</sub> 排放总量

CO<sub>2</sub> 排放量  
/ 千克

回收的原料

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%

FPW10300-0900

866.10

3.56

47.70

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

**KOMPAN**  
Let's play

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark

Validation of CO<sub>2</sub>  
calculation method  
**BUREAU VERITAS**  
HSE Denmark A/S



## Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Combi 3

FPW103

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)