

FunPoint, Ultimate


PCT802



Item no. PCT802-0901

General Product Information

Dimensions LxWxH	19'6"x15'9"x10'2"
Age group	5 - 12
Play capacity (users)	16
Color options	



The multi-layered and colorful play invitation of FunPoint, Ultimate, attracts children to come and play right away! The richly varied play activities invite children to explore and try the many sensory activities over and over again. The mix of membranes and hammocks for seating provides a comfortable and fun meeting point to support social-emotional

development. The hammock provides multiple touchpoints for the whole body combined with gently swaying movements for a soothing experience. The hangout pod with limited gentle motion is another fun meeting point. Apart from their soothing effect, the swaying movements also develop the children's sense of balance. The FunPoint, Ultimate offers

multiple tactile, visual and auditive sensory play items with drums, Moiree Effect Panels and a two-color Drawing Wall. This Drawing Wall can be used to create patterns and leave signals. All in all, the FunPoint, Ultimate is a highly social space that also offers room for individual play pursuits.



FunPoint, Ultimate

PCT802



Dichroic panels

Physical: hanging and leaning on the rope-suspended panels train muscles, balance and cross-coordination. **Social-Emotional:** twisting the panels to create colorful shadows encourages turn-taking and cooperation skills. **Cognitive:** wondering about, understanding and explaining the reasons for the color occurrence supports logical thinking skills.



Drawing wall

Physical: the rollers stimulate fine motor skills and when leaning on them provide sensory stimulation that soothes or invigorates depending on the intensity. **Social-Emotional:** the cooperation and turn-taking in making patterns from both sides supports social-emotional skills such as cooperation. **Creative:** the two-colored rollers can be used from both sides, inspiring signal-making and creativity.



Hangout pod

Physical: sitting and lying enjoying the swaying movements stimulate the sense of balance. **Social-Emotional:** meeting, taking a break is invited. Turn-taking supports the skills necessary to learn how to avoid conflicts.



Movable hammock

Physical: sense of balance when swaying, body pressure when lying. Support users lying or seated. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Creative:** changing direction and position of hammock.




Transparency

Social-Emotional: the transparency makes cooperation and communication possible throughout, important life-skills for children to practice.



Drums

Social-Emotional: cooperation and co-creation, parallel and group play. **Cognitive:** cause and effect understanding when creating sounds, supporting a sense of rhythm that is essential for pre-reading skills. **Creative:** creating and leaving a mark with sound.



Criss-cross climber

Physical: cross coordination and muscle strength are developed when climbing and crawling across the unequally dispersed ropes. **Social-Emotional:** turn-taking and socializing skills are supported when sitting with friends or interacting across the net.

FunPoint, Ultimate

PCT802



Turnable optic panels of two 7mm thick polycarbonate plates with a distance of 40mm. The inside graphic print consist of an inner image layer and outer transparent protection layer. Both PC panel and the water-based lacquer are UV stabilized to prevent fading of the print.



The two colored turnable rollers are made of high quality UV stabilized and reinforced nylon (PA). The rollers are assembled on vertical steel pipes in a welded frame. All steel parts are hot dip galvanized.



Hangout pod designed with a welded frame of two steel rings which are hot dip galvanized and powder coated. The membrane consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance.



The percussion panel consist of 2 Conga Drums with PP tubes and top in colored ABS. The desk and support plates are made of 19mm EcoCore™.



The large adjustable hammock is made of two molded PUR units connected by steel brackets. The curved bars for hammocks are made of stainless steel to ensure durability and high corrosion resistance.



Steel posts are galvanized inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.

Item no. PCT802-0901	
Installation Information	
Max. fall height	5'0"
Safety surfacing area	644ft²
Total installation time	20.5
Excavation volume	1.94yd³
Concrete volume	0.05yd³
Footing depth (standard)	2'11"
Shipment weight	1140lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Galvanized/painted metal	10 Years
Hot dip galvanized steel	Lifetime
Polycarbonate PC panels	10 Years
PUR components	10 Years
Spare Parts Availability	10 Years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	6	3
Required	0	3	3

**ASTM
F1487**
compliant

Sustainability Data

PCT802



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCT802-0901	1,636.60	3.94	37.90

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN
Let's play

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



PCT802

* Max fall height | ** Total height | *** Safety surfacing area



5 / 05/02/2024

PCT802

Data is subject to change without prior notice.