

# Sand Box 4

KPL508

Item no. KPL508-0401

**General Product Information**

Dimensions LxWxH	114x114x29 cm
Age group	6m+
Play capacity (users)	6
Color options	



The slick Sand Box 4 is an irresistible play invitation for children. Sand is eternally inviting, with its combination of solid and liquid character. This immerses children in play for long periods of time. Sand encourages deep play. The changeable character of sand from when dry to when wet fascinates children and it additionally trains their tactile sense and fine

motor skills. The Sand Box 4 trains the understanding of material character and nature phenomena: that sand in the sun is hot, that sand in the rain is shapeable. That sand in the sun is dry and light-weight, and wet sand is cold and heavy. These are important understandings that contribute to the child's complete package of life skills that help the

child understand their surrounding world. So sand play aids the child's sensory motor skills and cognition and adds an understanding of the world.



# Sand Box 4

KPL508



## Sandpit

**Cognitive:** sand play trains the sense of touch and helps children to understand the characteristics of different materials and their uses. Sand can be sieved when dry and shaped when wet.



# Sand Box 4

KPL508



Boards are made of pine wood from sustainable European sources. The wood is pressure impregnated Class 3 with Tanalith E3475 according to EN335 (Equivalent to NTR Class AB).

Item no. KPL508-0401		
Installation Information		
Max. fall height	29 cm	
Safety surfacing area	15.2 m²	
Total installation time	2.0	
Excavation volume	0.06 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	40 cm	
Shipment weight	27 kg	
Anchoring options	In-ground	✓



# Sustainability Data

KPL508




Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
KPL508-0401	11.10	0.48	4.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025  
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000




# Sand Box 4

KPL508

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



KPL508-xx01  
\*29cm  
\*\*29cm  
\*\*\*15.2m<sup>2</sup>



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)