



Bench C 60cm

FRE3011




The curved benches can be installed in different heights and next to each other to create a tribune. The benches are splendid meeting points to socialise with friends and look at sport activities at the same time.

| | |
|-----------------------------|---|
| Item no. FRE3011-3417 | |
| General Product Information | |
| Dimensions LxWxH | 127x108x61 cm |
| Age group | 3+ |
| Play capacity (users) | - |
| Colour options |  |



Bench C 60cm

FRE3011



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.


KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ panels of +95% post consumer recycled ocean waste.

| | |
|--------------------------|--------------------------|
| Item no. FRE3011-3417 | |
| Installation Information | |
| Max. fall height | 0 cm |
| Safety surfacing area | 0.0 m² |
| Total installation time | 1.9 |
| Excavation volume | 0.29 m³ |
| Concrete volume | 0.10 m³ |
| Footing depth (standard) | 60 cm |
| Shipment weight | 32 kg |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| Hot dip galvanised steel | Lifetime |
| Hollow PE parts | 10 years |
| Spare parts guaranteed | 10 years |



Sustainability Data

FRE3011



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| FRE3011-3417 | 73.10 | 2.28 | 34.60 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Bench C 60cm


FRE3011

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FRE3011
**61cm



FRE3011

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)