

Cosmos Meeting Point

FRE3000

KOMPAN
Let's play



这种独特的设计非常宽敞，吸引着所有人。Meeting Point 是朋友聚会或休闲放松的理想场所。其顶部由 4 块防风板组成，可抵御各种天气条件的影响，同时还可欣赏天空美景。舒适的长椅采用弧形设计，无论坐在哪里，都能与其他使用者保持目光接触，因为在舒适的长椅上有多种不同的坐姿。

产品编号 FRE3000-3417

产品信息概览

长宽高尺寸	390x254x263 cm
适用年龄段	3+
容纳人数	-
颜色选择	●




Cosmos Meeting Point

FRE3000



钢表面内外均采用无铅热镀锌镀层，户外耐蚀性高，维护成本低。



顶由钢框架支撑的 Ekogrip® 面板制成。Ekogrip® 面板由 15 毫米厚的 PE 底座和 3 毫米顶层橡胶组成。

产品编号 FRE3000-3417	
安装信息	
最大跌落高度	0 cm
安全面积	0.0 m²
安装总时长	8.4
开挖量	1.87 m³
混凝土使用量	0.86 m³
标准入地深度	70 cm
运输重量	375 kg
固定选项	入地 ✓ 地表 ✓
质保信息	
镀锌钢结构	终身质保
中空 PE 聚乙烯部件	10 年
承保零部件	10 年



Sustainability Data

FRE3000



从原材料到成品

CO₂ 排放总量

CO₂ 排放量
/ 千克

回收的原料

kg CO₂e

kg CO₂e/kg

%

FRE3000-3417

715.90

2.76

27.80

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

KOMPAN
Let's play


Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Cosmos Meeting Point

FRE3000


最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



FRE3000
**263cm

[点击查看俯视图](#)



[点击查看侧面图](#)