




# Parkour 4

NRO854



|                             |   |
|-----------------------------|---|
| Item no. NRO854-1001        |   |
| General Product Information |   |
| Dimensions LxWxH            | 15'3"x32'9"x8'11"   |
| Age group                   | 5 - 12  |
| Play capacity (users)       | 12  |
| Color options               |   |



The Parkour 4 is a hugely appealing play piece. Exactly what 5-12 year olds want: a trim trail that's fun. The variation in climbing, crawling and balancing activities will make children come back again and again. The many inclined, twisted and vertical nets and the different mesh directions make great play challenges. Climbing or crawling up, down and

through the big meshes greatly stimulates coordination and proprioception. Both are skills necessary to navigate the world confidently and to achieve physical confidence. The lovely rubber seating points and the inclined beams are great for meeting and exchanging. Their bouncy or inclined character make them a constant balance and muscle trainer, even

when seated. When climbing through the Parkour 4 children train their cooperation and turn-taking skills. These skills are difficult to teach, but they are easily learned in play.




# Parkour 4

NRO854




## Climbing net

**Physical:** the inclined net supports the upward climbing movement of the body. The net supports cross-body coordination, which impacts coordination of the right and left part of brain, fundamental for other skills such as the ability to read. The asymmetry of the net challenges the children's climbing.



## Parkour ropes

**Physical:** the big rubbery discs are great support for the feet when climbing or crossing. This trains cross coordination, balance and arm and leg muscles. This combination adds to the child's body adeptness and awareness, adding security to movements. **Social-Emotional:** the seats make a nice destination and meeting point and take cooperation when crossing by others on the way through the module.



## Top rope

**Physical:** the top rope adds support when balancing on the beam. This develops dexterity, hand and arm muscles.



## Parkour climbing knots

**Physical:** the small knots add support for hands and feet when climbing in the ropes. This supports spatial awareness, cross coordination and all muscle groups. **Social-Emotional:** cooperation when passing other children.



## Twisted climbing net

**Physical:** supports cross coordination as well as sense of balance and space. Core, leg and arm muscles are trained, too. These physical skills add to self awareness and help when judging your body in time and space, a crucial skill. **Social-Emotional:** the twisted shape creates varied seating possibilities and interaction from one side to the other. This develops empathy and cooperation.

# Parkour 4

NRO854



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilized PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



Full colored EPDM rubber seats with smooth surface. The seats are molded on a hot dip galvanized steel inlay that ensures durable fixation to the rope.



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance.



The Robinia wood can be supplied as untreated raw wood or painted with a brown colored transparent pigment that maintains the golden wood color of the wood.


|                            |             |
|----------------------------|-------------|
| Item no. NRO854-1001       |             |
| Installation Information   |             |
| Max. fall height           | 8'11"       |
| Safety surfacing area      | 853ft²      |
| Total installation time    | 11.4        |
| Excavation volume          | 5.32yd³     |
| Concrete volume            | 0.51yd³     |
| Footing depth (standard)   | 3'6"        |
| Shipment weight            | 1263lbs     |
| Anchoring options          | In-ground ✓ |
| Warranty Information       |             |
| EPDM components            | 2 Years     |
| Robinia Wood               | 10 Years    |
| Ropes & nets               | 10 Years    |
| Spare Parts Availability   | 10 Years    |
| Stainless steel components | Lifetime    |

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present               | 0                              | 4                                  | 2                                  |
| Required              | 0                              | 2                                  | 2                                  |



# Sustainability Data

NRO854



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| NRO854-1001          | 302.20                         | 0.62                    | 6.10               |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Parkour 4

NRO854

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)