

# Stainless Steel Slide


M332



Stainless Steel Slide 是游乐场的经典之作。它是一种有趣的游戏，孩子们会迫不及待地反复尝试。不断爬上楼梯再滑下，除了好玩，还能锻炼心肺功能。此外，孩子们还能锻炼他们的轮流技能，以及在等待他人时的同理心，因为他人可能不够勇敢或速度不够快。当孩子们滑行时，保持坐直的姿势，他们会训练自己的核心肌肉。这能刺激躯干的稳定性，对避免背部和颈部疼痛非常

重要，而由于久坐不动的生活方式，儿童的背部和颈部疼痛问题日益严重。此外，它还能训练平衡感，这是其他运动技能的基础。沿着阶梯爬上不锈钢滑梯，孩子们可以锻炼交叉协调能力。交叉协调能力的训练对于孩子们左右脑的合作非常重要。例如，儿童在阅读时就需要这种合作。这是一项既有趣又能激发基本身体技能的游戏活动。

产品编号 M33201-3517	
产品信息概览	
长宽高尺寸	54x294x216 cm
适用年龄段	3+
容纳人数	3
颜色选择	



# Stainless Steel Slide

M332



## 滑梯

**身体素质：**玩滑梯可以培养空间感和平衡感。此外，在直立向下坐时，核心肌肉也能得到锻炼。**社交情感：**轮流玩耍时可激发同理心。**认知能力：**幼儿在快速滑下时可训练对空间、速度和距离的理解。



## Pipe ladder

**身体素质：**cross coordination and eye-hand coordination are supported when children climb the ladder. The climbing also supports leg and arm muscles. **社交情感：**培养轮流意识和合作意识。

# Stainless Steel Slide

M332



带有一体式滑床的不锈钢滑梯由优质不锈钢 AISI 304 制成。

钢表面内外均采用无铅热镀锌镀层，户外耐蚀性高，维护成本低。



19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的芯。

产品编号 M33201-3517		
安装信息		
最大跌落高度		124 cm
安全面积		18.2 m²
安装总时长		4.1
开挖量		0.44 m³
混凝土使用量		0.00 m³
标准入地深度		70 cm
运输重量		214 kg
固定选项	入地	✓
	地表	✓
质保信息		
EcoCore HDPE		终身质保
镀锌钢结构		终身质保
承保零部件		10 年
不锈钢滑梯		10 年



# Sustainability Data

M332



## 从原材料到成品

CO<sub>2</sub> 排放总量

CO<sub>2</sub> 排放量  
/ 千克

回收的原料

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%

M33201-3517

318.30

2.10

31.80

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。


**KOMPAN**  
Let's play

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Stainless Steel Slide

M332

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)