

Swing Frame, 12 Seat, 8 ft H

KSW9212

Item no. KSW9212-0910	
General Product Information	
Dimensions LxWxH	69'3"x6'0"x8'5"
Age group	2 - 12
Play capacity (users)	-
Color options	



KOMPAN Portal swings are a modern update on a traditional favorite, constructed from galvanized steel. They are configurable for the unique needs and requirements of every playground site. All Portal swings come standard in 7", 8" or 10" heights with posts made from hot dip galvanized steel. For swing seats, we offer as standard a rubber swing

seat, baby seat, or toddler swing seat for individual use, or the duo swing seat, birds nest, or you & me swing seat for multiple users. The seats are available with either hot dip galvanized chains or stainless steel chains with the option of antiwrap suspension. The modular swing system is also available in multibay configurations with 2, 3, 4 or more sections.

Swing Frame, 12 Seat, 8 ft H

KSW9212



Item no. KSW9212-0910		
Installation Information		
Total installation time	16.2	
Excavation volume	4.83yd³	
Concrete volume	0yd³	
Footing depth (standard)	2'11"	
Shipment weight	1551lbs	
Anchoring options	In-ground	✓
Warranty Information		
Hot dip galvanized steel	Lifetime	
Movable parts	2 Years	
Post	10 Years	
Spare Parts Availability	10 Years	

ASTM
F1487
compliant

Sustainability Data

KSW9212



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
KSW9212-0910	1,707.90	3.18	46.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

