


FunPoint, Creator


PCT801




The dense play invitation of the FunPoint, Creator attracts children again and again. The meeting point character is evident, with the dragon scale membrane offering a fun seat with flaps. The drawing wall offers repeated creative play sessions, having the children form letters and patterns with the two-colored rollers. This is a nice tactile event, that leaves a

physical mark on the playground. The three moiré effect panels intrigue children, as their patterns change when you gaze with focus on seeing the bigger pattern. This makes children ask "How?" and try to explain the workings of patterns and the visual effect making. A cognitively stimulating process that trains children's logical thinking and argumentation

skills.

产品编号 PCT801-0901	
产品信息概览	
长宽高尺寸	199x321x185 cm
适用年龄段	6+
容纳人数	8
颜色选择	





FunPoint, Creator

PCT801



分色板

身体素质：悬挂和倚靠在悬挂板上可以训练肌肉、平衡和交叉协调能力。**社交情感：**扭动面板，形成五颜六色的阴影，鼓励轮流和合作技能。**认知能力：**想知道、理解并解释颜色出现的原因，有助于培养逻辑思维能力。



橡胶片

身体素质：橡胶片为座椅增添了趣味感，刺激触觉。**社交情感：**这里是休息或与朋友聚会的绝佳地点。



创意墙

身体素质：stimulate fine motor skills and add sensory stimulation when leaning on them. This soothes or invigorates depending on intensity. **社交情感：**在制作图案的过程中，双方的合作和轮流互动，有助于培养合作等社交情感技能。 **创造力：**the two-colored rollers can be used from both sides, inspiring signal-making and creativity.

FunPoint, Creator


PCT801



两块 7mm 厚的聚碳酸酯材质变色面板，间距为 25mm。内部图形打印由内部图像层和外部透明保护层组成。PC 面板和水性漆均经过紫外线稳定处理，以防止印刷元素褪色。



两个彩色可旋转滚轮由高质量的紫外线稳定和增强尼龙（PA）制成。滚轮装配在焊接框架中的垂直钢管上。所有钢部件均进行热浸镀锌处理。



由输送带质量的耐磨橡胶膜制成的彩色“龙鳞”具有出色的抗紫外线性。内嵌两层镀锌钢丝铠装，使膜极度耐用。




粉末涂层的立柱由高质量的预镀锌钢制成，顶部涂层为粉末涂层。柱顶用防紫外线的尼龙（PA6）盖封闭。

产品编号 PCT801-0901	
安装信息	
最大跌落高度	33 cm
安全面积	24.8 m²
安装总时长	7.9
开挖量	0.35 m³
混凝土使用量	0.00 m³
标准入地深度	90 cm
运输重量	216 kg
固定选项	入地 ✓ 地表 ✓
质保信息	
EcoCore HDPE	终身质保
镀锌 / 喷漆金属	10 年
聚碳酸酯 PC 面板	10 年
橡胶软膜	2 年
承保零部件	10 年



Sustainability Data

PCT801



从原材料到成品	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
PCT801-0901	742.30	4.69	33.70

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。



Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.



Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)