


Play Panel 1 - Music

PCM000721



Item no. PCM000721-0901

General Product Information

| | |
|-----------------------|---|
| Dimensions LxWxH | 4'0"x0'6"x2'6" |
| Age group | 6m - 5 |
| Play capacity (users) | 4 |
| Color options |     |



The music panel is an irresistible attraction to young children. Its variation of materials, sounds and cooperative play options keep children coming back again and again to participate in creative play, on their own or with friends and teachers. The music pipes offer sensory variation with a tuned and tonal sound outcome. They train the hand-eye coordination

which is crucial to control of movement and e.g. hand writing. The black rubber flaps can be plunked or pipes beaten and tunes created. This trains the understanding of cause and effect and stimulates explorative, creative play. The tonality of the music panel stimulates logical as well as creative thinking and invites cooperation and social play.




Play Panel 1 - Music

PCM000721



Xylophone music panel

Social-Emotional: invites social interaction and co-creation for more children, on both sides. **Cognitive:** understanding of cause and effect when striking tubes and creating sound. **Creative:** the creation of different intensity and tonality stimulates creative skills.



Tonality

Cognitive: creative thinking when combining tones into tunes. **Creative:** composing new tonal combinations stimulates creativity.



Rubber flaps

Social-Emotional: the two rows of flaps invite cooperation and co-creation. **Cognitive:** cause and effect understanding when discovering sound from flaps hitting tubes.



Music tubes


Social-Emotional: invite social interaction and co-creation for more children, on both sides. **Cognitive:** understanding of cause and effect when striking tubes. **Creative:** the creation of different intensity and tonality stimulates creative skills.

Play Panel 1 - Music

PCM000721



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The pipes are made of die-cast aluminum specifically alloyed for outdoor environments. The pipes are in different lengths to create different tones.



Main posts with hot-dip galvanized steel footing are available in different materials: Pressure impregnated pinewood posts. Pre-galvanized inside and outside with powder-coated top finish steel posts. Lead-free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.

| | |
|--------------------------|--------------------------|
| Item no. PCM000721-0901 | |
| Installation Information | |
| Max. fall height | 0'0" |
| Safety surfacing area | 0ft² |
| Total installation time | 2.9 |
| Excavation volume | 0.07yd³ |
| Concrete volume | 0yd³ |
| Footing depth (standard) | 2'9" |
| Shipment weight | 103lbs |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| EcoCore HDPE | Lifetime |
| Hot dip galvanized steel | Lifetime |
| Movable parts | 2 Years |
| Post | 10 Years |
| Spare Parts Availability | 10 Years |



Membranes consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance. Embedded is a four-layered armoring made of woven polyester. The armoring and the two surface layers result in a total thickness of 9 mm.




KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCore™ panels of 100% post-consumer recycled ocean waste.

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present | 0 | 1 | 1 |
| Required | 0 | 1 | 1 |

**ASTM
F1487**
compliant

Sustainability Data

PCM000721



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| PCM000721-0950 | 108.30 | 2.39 | 57.40 |
| PCM000721-0901 | 116.20 | 2.89 | 46.80 |


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Play Panel 1 - Music


PCM000721

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



PCM000721
** 2'-6" / 75cm



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)