

# Minigoal

FRE3051



De afmetingen van de goals maken ze bij uitstek geschikt voor allerlei balsporten. Ze kunnen afzonderlijk geplaatst worden, of opgesteld op een veld met 2 doelen. Speciaal geschikt voor de openbare ruimte.

Item nummer FRE3051-3517	
<b>Algemene Product Informatie</b>	
Afmetingen LxBxH	141x55x75 cm
Leeftijdsgroep	3+
Speelcapaciteit	-
Kleuropties	●



# Minigoal

FRE3051



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item nummer FRE3051-3517	
Installatie informatie	
Max. valhoogte	0 cm
Veiligheidszone	0,0 m²
Totale installatietijd	1,6
Graafwerk (vol.)	0,12 m³
Benodigd beton	0,00 m³
Verankeringsdiepte	68 cm
Verzendingsgewicht	50 kg
Verankeringsopties	In-ground ✓ Oppervlak ✓
Garantie informatie	
HDG post	Levenslang
Gegarandeerde reserveonderdelen	10 jaar



# Sustainability Data

FRE3051



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
FRE3051-3517	125,60	2,62	49,80

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



### Verification of CO<sub>2</sub> calculation of: Sport



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025  
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000



Max. valhoogte | Totale Hoogte | Veiligheidszone

Max. valhoogte | Totale Hoogte



FRE3051  
\*\*75cm



FRE3051

[Bekijk BOVENAANZICHT](#)

[Bekijk ZIJAAANZICHT](#)