




# Bewitched Tower

NRC200401



Item no. NRC200401-1021	
General Product Information	
Dimensions LxWxH	18'1"x17'9"x16'10"
Age group	5 - 12
Play capacity (users)	20
Color options	 



WOW, it is a Bewitched tower! With climbing, sliding, and gliding opportunities, it will attract children to play again and again. Climbing the Log Ladder and Inclined Net Bridge support the children's motor skills ABC: agility, balance, and coordination. These are fundamental for children to feel movement security. The stomach-tickling slide also trains balance. A

well-trained sense of balance is fundamental for being able to sit still and concentrate.

Gliding down the Curly Climber trains coordination and arm muscles when holding tight. It requires logical thinking when placing arms and legs right for rotating downwards. The Sewing Panel offers tactile and cognitive-

creative stimulation. It inspires logical thinking and invites social play where children can communicate and cooperate while sewing. The bewitched tower is a great place for physical, cognitive, and social play.

# Bewitched Tower

NRC200401



## Log ladder

**Physical:** cross-coordination is trained when children climb the ladder. Climbing also supports leg and arm muscles. **Social-Emotional:** learning about turn-taking and cooperation.



## Sewing Panel

**Physical:** Hand-eye coordination is trained in fitting the string through the holes. This benefits children's motor skills e.g. when writing. **Social-Emotional:** Cooperating on fitting the string through the openings trains turn-taking, empathy and negotiation. **Cognitive:** Fitting the string through the holes supports logical thinking and rules understanding. **Creative:** the string length and various holes allow the children to make different patterns.



## Climbing wall

**Physical:** cross-coordination and eye-hand coordination are supported when children climb. Climbing also supports leg and arm muscles. **Social-Emotional:** learning about turn-taking and cooperation.



## Curly climber

**Physical:** coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** logical thinking when placing arms and legs right for rotating downward.



## Net bridge, inclined

**Physical:** walking the open net up or downwards develops balance and spatial awareness. **Social-Emotional:** interaction with children outside, socializing. Cooperation and consideration, e.g. when passing others.



## Double slide

**Physical:** sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** invites socializing, supports parent-child, peer-to-peer play and allows for caregiver assistance.



## Supportive handholds

**Physical:** handhold provides good grip for less confident climbers. Pulling yourself up and in trains upper body muscles. **Social-Emotional:** allows for a range of physical abilities to enter independently and securely, supporting play for all.

# Bewitched Tower

NRC200401



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

Transparent brown pigmented and colored parts are coated with water-based paint and environmentally friendly pigment with excellent UV resistance. The paint and pigment comply with EN 71 Part 3.



The product/activities are preassembled from the factory to ensure all safety requirements are considered.


Item no. NRC200401-1021	
Installation Information	
Max. fall height	7'3"
Safety surfacing area	706ft²
Total installation time	48.6
Excavation volume	5.22yd³
Concrete volume	3.53yd³
Footing depth (standard)	3'3"
Shipment weight	5297lbs
Anchoring options	In-ground ✓
Warranty Information	
Corocord Rope	10 Years
Hollow PE Parts	10 Years
Robinia Wood	10 Years
Spare Parts Availability	10 Years
Stainless steel components	Lifetime



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.



The stainless-steel activities are made of high-quality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.



The slides can be chosen in six different colors and three materials: Straight or curved one-piece molded PE slides. Combined EcoCore™ sides and stainless steel. Full stainless steel in a one-piece design for more vandalism-proof solutions.

Elevated activities 5	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	5	2	2
Required	3	2	2

**ASTM  
F1487**  
compliant

# Sustainability Data

NRC200401



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
NRC200401-1021	658.50	0.30	3.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025  
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000






NRC200401

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area



[Click to see TOP VIEW](#)

\* Max fall height | \*\* Total height



[Click to see SIDE VIEW](#)