

Mini Hammock

PCM804



Item no. PCM804-0902

General Product Information

Dimensions LxWxH	119x40x75 cm
Age group	2 - 5
Play capacity (users)	1
Colour options	●



WOW, look how it moves! The Mini Hammock is a lot of play in little space. It will instantly attract toddlers again and again. Children love play activities that respond to their movements. Swaying in the hammock helps children to develop coordination and a sense of balance which are fundamental for all other motor skills in infants and toddlers. The soothing, swaying

movements adds a tranquil feeling. Pushing friends gently back and forth and learning taking turns are important social-emotional skills for children. For toddlers, there is a cognitive aspect to this type of play as they begin to develop concepts of cause and effect related to their bodies and objects.



Mini Hammock

PCM804



Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Cognitive:** for toddlers cause and effect understanding.



Mini Hammock

PCM804



Steel posts are galvanised inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.



Hammock seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. All materials are UV stabilised to a maximum without use of heavy metal stabilisers.



Unique KOMPAN swivel suspensions allowing for both swinging and rocking movement of the hammock. The inside housing is made of stainless steel and both the bushing and bearing rod of brass alloy. The outside cover is made of soft TPV rubber and the entire swivel is attached to the steel post by an aluminum connector.



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.

Item no. PCM804-0902	
Installation Information	
Max. fall height	23 cm
Safety surfacing area	15.5 m²
Total installation time	2.7
Excavation volume	0.07 m³
Concrete volume	0.02 m³
Footing depth (standard)	85 cm
Shipment weight	35 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Post	10 years
Spare parts guaranteed	10 years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

CSA
Z614
compliant

Sustainability Data

PCM804



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCM804-0902	88.40	3.66	39.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN
Let's play

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Mini Hammock

PCM804

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)