

# Sunflower



M951




The daisies on the top move, when the swing moves. The sense of wonder in this is an irresistible motivation for the child to investigate. The sturdy rubber seat is placed in the exact right height for a child to lean in and lie on their stomach. This serves two purposes: the child can swing in different positions, and swing independently. When the child pushes

with the feet, the swing movement starts and trains the child's motor skills, specifically the sense of balance and space. Furthermore, the understanding of cause and effect has a great impact on the thinking and cognitive skills of the child. The emotional value of being able to manage independently is priceless for toddlers and stimulates their self esteem and widens


their physical comfort zone. Parents, older siblings and friends can easily join the fun.

|                             |   |
|-----------------------------|---|
| Item no. M95172-3717P       |   |
| General Product Information |   |
| Dimensions LxWxH            | 4'1"x1'3"x4'6"  |
| Age group                   | 6m - 2  |
| Play capacity (users)       | 1   |
| Color options               |   |



# Sunflower

M951



## Turnable daisies

**Cognitive:** sense of wonder and the understanding of cause and effect when manipulating something to turn.



## Low, rubber swing seat

**Physical:** support for pushing with feet, developing leg muscles and sense of balance, coordination, as well as spatial awareness.  
**Social-Emotional:** self-confidence is fostered from being able to do it yourself. **Cognitive:** understanding of cause and effect.

# Sunflower

M951



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The seat is made of PUR very durable material.



Swing suspensions are made of polyamide and consist of double ball bearing system with swivel.

|                          |                          |
|--------------------------|--------------------------|
| Item no. M95172-3717P    |                          |
| Installation Information |                          |
| Max. fall height         | 2'7"                     |
| Safety surfacing area    | 141ft²                   |
| Total installation time  | 3.3                      |
| Excavation volume        | 0.59yd³                  |
| Concrete volume          | 0.33yd³                  |
| Footing depth (standard) | 2'11"                    |
| Shipment weight          | 103lbs                   |
| Anchoring options        | In-ground ✓<br>Surface ✓ |
| Warranty Information     |                          |
| Hot dip galvanized steel | Lifetime                 |
| Movable parts            | 2 Years                  |
| Spare Parts Availability | 10 Years                 |
| Swing hangers            | 5 Years                  |
| Swing seat               | 10 Years                 |



Turnable daisies are made of 19mm EcoCore™ HDPE which is a highly durable, eco-friendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.




The steel pipes are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present               | 0                              | 1                                  | 1                                  |
| Required              | 0                              | 1                                  | 1                                  |

**ASTM  
F2373**  
compliant

# Sustainability Data

M951



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| M95172-3717P         | 130.80                         | 2.80                    | 47.50              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025  
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Sunflower

M951

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M95175

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)