

# Robinia Flower Swing

NRO916




The daisies on the swing poles add a whimsical expression that radiates play to toddlers. The sturdy rubber seat is placed in the exact right height for a child to lean in and lie on the stomach. This serves two purposes: the child can swing and swing independently. When the child push with the feet, the swing movement starts and trains the child's motor

skills, specifically the sense of balance and space. Furthermore, the understanding of cause and effect has a great impact on the thinking and cognitive skills of the child. The emotional value of being able to manage independently is priceless for toddlers and stimulates their self esteem and widens their physical comfort zone. Parents, older siblings

and friends can easily join the fun.



产品编号 NRO916-1001	
产品信息概览	
长宽高尺寸	147x47x173 cm
适用年龄段	1+
容纳人数	1
颜色选择	



# Robinia Flower Swing

NRO916



## Low, rubber swing seat

**身体素质：**支持用脚推动，发展腿部肌肉和平衡感、协调性以及空间感。 **社交情感：**self-confidence is fostered from being able to do it yourself. **认知能力：**培养对因果关系的理解能力。




# Robinia Flower Swing


NRO916




KOMPAN 的所有有机刺槐产品均由 刺槐木材制成，来自欧洲的可持续环保木材。可根据要求提供 FSC® Certified (FSC® C004450)



座椅由防紫外线的 PUR 制成。它在 -30°C 至 60°C 的温度范围内保持其特性。绳索是由紫外线稳定的 PP 绳索制成，内部有钢缆增强层和透明 PUR 外层。



秋千吊架由不锈钢支架制成，可以在两个轴上移动。法兰轴承富含硅树脂，使悬架免维护。绳索的连接由不锈钢链条制成。



19mm EcoCore™ 的花朵。EcoCore™ 是一种高度耐用，环保的材料，不仅在使用后可回收利用，而且还包含由 100 %回收材料制成的芯。



刺槐桩有木结构地表安装或热浸镀锌钢结构入地安装选项。

产品编号 NRO916-1001	
安装信息	
最大跌落高度	80 cm
安全面积	8.4 m²
安装总时长	2.6
开挖量	0.25 m³
混凝土使用量	0.00 m³
标准入地深度	100 cm
运输重量	124 kg
固定选项	入地 ✓
质保信息	
EcoCore HDPE	终身质保
Robinia 木材	15 年
承保零部件	10 年
秋千悬挂	5 年
秋千座椅	10 年



# Sustainability Data

NRO916



## 从原材料到成品

CO<sub>2</sub> 排放总量

CO<sub>2</sub> 排放量  
/ 千克

回收的原料

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%

NRO916-1001

35.70

0.36

6.30

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

**KOMPAN**  
Let's play

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark

Validation of CO<sub>2</sub>  
calculation method  
**BUREAU VERITAS**  
HSE Denmark A/S



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**


By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000



# Robinia Flower Swing

NRO916


最大跌落高度 | 总高度 | 安全区域



NRO916  
\*80cm  
\*\*173cm  
\*\*\*8.4m<sup>2</sup>

[点击查看俯视图](#)

最大跌落高度 | 总高度



NRO916

[点击查看侧面图](#)