

# Spring Board

NRO104



Item no. NRO104-0402

## General Product Information

Dimensions LxWxH	3'0"x2'9"x1'6"
Age group	2 - 12
Play capacity (users)	3
Color options	<input type="radio"/> <input type="radio"/>



The Spring Board is a lovely, inviting platform for rocking. Children are drawn to it again and again, thanks to its fun, rocking movement and the social potential! The platform allows more body positions. Sitting, standing, lying, even jumping. All have a chance to play together, in equal and unequal numbers. The social potential in that is immense. Children will

cooperate, take turns and show consideration for others to make the fun, rocking movement of the Spring Board continue. The rocking movement trains the senses of balance and space, crucial for body confidence and avoiding falling. A well-developed sense of balance is fundamental for the ability to sit still and concentrate. When standing on the

platform, children will jump, building bone density for life when doing so, having fun.



# Spring Board

NRO104



## Seat

**Social-Emotional:** the seat is big enough for more children and makes a nice meeting point. Sitting closely together with friends is good for children's social skills and well-being.



## Rocking spring

**Physical:** response to movement increases spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. **Cognitive:** trains the understanding of cause and effect: when I move my body, the spring responds with movement.

# Spring Board

NRO104



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The Robinia wood can be supplied as untreated raw wood or painted with a brown colored transparent pigment that maintains the golden wood color of the wood.

Item no. NRO104-0402	
Installation Information	
Max. fall height	1'6"
Safety surfacing area	170ft <sup>2</sup>
Total installation time	2.9
Excavation volume	1.01yd <sup>3</sup>
Concrete volume	0yd <sup>3</sup>
Footing depth (standard)	1'6"
Shipment weight	277lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Hot dip galvanized steel	Lifetime
Robinia Wood	10 Years
Spare Parts Availability	10 Years
Springs	5 Years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



# Sustainability Data

NRO104



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>NRO104-0402</b>	163.70	1.46	24.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000




# Spring Board


NRO104

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



NRO104  
\* 1'-6" / 46cm  
\*\* 1'-6" / 46cm  
\*\*\* 170.1ft<sup>2</sup> / 15.8m<sup>2</sup>



NRO104

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)