


Daisy

KPL110



Item no. KPL110-0411

General Product Information

Dimensions LxWxH	100x100x65 cm
Age group	2+
Play capacity (users)	4
Colour options	●



WOW! It's playtime for toddlers. The little ones will be thrilled by the social and physical potential of the Daisy. Up to 4 children can seesaw, play, and cooperate at the same time, making this a highly versatile play unit, taking up little space and appealing to toddlers again and again. Apart from providing great play, the Daisy supports fundamental areas of a child's

development and learning through play: Important motor skills such as balance and proprioception get trained when children rock, pushing their feet, and pulling their arms. While rocking together, toddlers additionally train important social-emotional skills such as cooperation. The logic of movement sequence trains the child's thinking skills. Daisy is truly

playful learning.




Daisy

KPL110



Handhold

Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.



Rocking together

Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.



Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills.
Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

Daisy

KPL110



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



KOMPAN's springs are manufactured from high-quality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.



The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.

Item no. KPL110-0411	
Installation Information	
Max. fall height	60 cm
Safety surfacing area	9.6 m²
Total installation time	2.0
Excavation volume	0.15 m³
Concrete volume	0.00 m³
Footing depth (standard)	45 cm
Shipment weight	37 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
EcoCore HDPE	Lifetime
Handle	10 years
HPL Seat	15 years
Spare Parts Guarantee	10 years
Springs	5 years



Foot support is made of HPL with a thickness of 17.8mm, which is very high wearing and also includes unique KOMPAN non-skid surface texture.



Handholds are made of injection moulded high-quality nylon (PA6) which has good wearing and impact strength.




The springs are fixed by unique anti-pinch fittings for maximum safety and longevity, and the springs have a PUR insert for stabilising the spring.



Sustainability Data

KPL110



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
KPL110-0411	99.40	2.82	25.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN
Let's play


Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂ calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KPL110
*60cm
**65cm
***9.6m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)