


Rock-It


GXY934



The Rock-it is a magnificent piece of equipment which encourages cooperative amongst tweens and teen as a result of its compact design. The adequate handhold on the top of the centre beam allows for a firm grip and encourages users to use their upper body muscles, which are often underused in older children. Leg and core muscles are put to the

test by the pulling and pushing to make the Rock-it rock. Healthy competition is often seen when using the Rock-It as tweens love to test out their negotiation and teamwork skills when formulating games.

Item no. GXY934000-3717	
General Product Information	
Dimensions LxWxH	122x96x120 cm
Age group	6+
Play capacity (users)	8
Colour options	



Rock-It

GXY934



Handhold

Physical: the possibility to hold onto more areas of the handhold ensures a good grip, necessary for spinning intensely. This trains the hand and arm muscles.



Platform

Social-Emotional: courage, self-confidence, consideration and turn-taking are built when children share the platform.



Rocking together

Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.

Rock-It

GXY934



The steel surfaces of GALAXY are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance and requires low maintenance.




The upper round handle is made with a galvanised steel insert and covered with soft PUR rubber with grooves that ensures good handhold while rocking.



The deck is made from High-Pressure Laminate HPL with a thickness 17.8mm and non-skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure longevity in all climates.

Item no. GXY934000-3717	
Installation Information	
Max. fall height	60 cm
Safety surfacing area	13.0 m ²
Total installation time	2.1
Excavation volume	0.38 m ³
Concrete volume	0.30 m ³
Footing depth (standard)	90 cm
Shipment weight	122 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Galvanised Steel	Lifetime
PUR Components	10 years
Spare Parts Guarantee	10 years



The rocking movement over two axes is made by heavy duty scaled ROSTA torsion spring element. The two ROSTA elements are noise-free and are maintenance-free.



Galaxy products are available in different colour combinations with either hot-dip galvanised steel surface treatment or a powder-coated finish to selected steel components. Colours of the activities are adjusted to support the individual colour combination.



Sustainability Data

GXY934



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
GXY934000-3717	214.90	2.67	23.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height




GXY934000

*60cm

**120cm

***13m²



GXY934000

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)