

# Combi 3

FSW103



这款 Overhead Ladder 又宽又高，任何人都可自由悬挂和移动。为了确保每个人都能够得着 Overhead Ladder，还设有 4 个不同高度的踏板。这套完整的街头健身器材具备所有基本要素，同时还能让使用者创造自己的一套锻炼方式。因此，Combi 3 非常适合跑酷运动，可以实现无限的运动范围。Pull Up Bar 由实心钢制成，直径为 32 毫米，大小适中，男女均可轻松握住。

由于单杠悬挂高度为 2.33 米，因此每个人都能自由悬挂，并使用单杠进行各种引体向上运动。

产品编号 FSW10301-0901

## 产品信息概览

长宽高尺寸	726x434x240 cm
适用年龄段	13+
容纳人数	8
颜色选择	



查看 KOMPAN Fit 健身应用程序了解更多信息



# Combi 3

FSW103



立柱由 Ø101.6x 2mm 制成，预镀锌碳钢，粉末涂层，可在所有情况下提供出色的保护。



连接器是由压铸铝，适合户外环境和高频率使用。连接的螺丝是不锈钢的，并由锌垫圈保护。



所有用于引体向上的拉杆是由 Ø32mm x 138mm，坚固的热浸镀 S235JR 钢条制成。这个直径为每个人都提供了良好的抓握力。



把手提供 4 种不同的高度来放置手或脚，48 厘米，76 厘米，104 厘米和 132 厘米，以提供不同的难度。



信息指示牌是由 PA6(聚酰胺)制成，显示相关练习和二维码。当扫描二维码时，会链接到运动的动画演示，并提供下载 KOMPAN sport & fitness 应用程序的途径，该应用程序将提供大量的运动和锻炼。



The ropes are made of UV-stabilised PES with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

产品编号 FSW10301-0901

## 安装信息

最大跌落高度	133 cm
安全面积	41.2 m²
安装总时长	8.6
开挖量	0.76 m³
混凝土使用量	0.43 m³
标准入地深度	90 cm
运输重量	314 kg
固定选项	入地 ✓ 地表 ✓


## 质保信息

接口	10 年
镀锌钢结构	终身质保
立柱	10 年
绳网	10 年
承保零部件	10 年



# Sustainability Data

FSW103



## 从原材料到成品

CO<sub>2</sub> 排放总量

CO<sub>2</sub> 排放量  
/ 千克

回收的原料

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%

FSW10301-0901

849.70

3.52

48.00

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

**KOMPAN**  
Let's play

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark

Validation of CO<sub>2</sub>  
calculation method  
**BUREAU VERITAS**  
HSE Denmark A/S



## Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Combi 3

FSW103

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)