

# Two Towers with Bridge


NRO2002



Item no. NRO2002-1001

## General Product Information

Dimensions LxWxH	589x300x400 cm
Age group	6+
Play capacity (users)	13
Colour options	 



With the varied climb access points, inclined net access, rope ladders, bridge and banister bars the Two Towers with Bridge offers children a play structure they will want to try out again and again. They will train their cardio and muscles as they loop the slide and climbing areas, as well as train their proprioception, the awareness of where the body parts are in

space and how much force and distance it takes to move securely, as they manoeuvre the inclined net access. The rope ladders provide a more challenging obstacle with the swaying and vertical steps, and the bridge trains sense of balance, the fundamental motor skill that make children confident when moving and is important for the ability to sit still and

concentrate. Both the platform and bridge provide an area to socialise and learn how to take turns, with the banister bars offering a more thrilling way to the ground, training the sense of space and the proprioception.

# Two Towers with Bridge

NRO2002



## Rope ladder

**Physical:** climbing the ladder supports cross coordination and trains leg and arm muscles.  
**Social-Emotional:** place for meeting, taking a break and socializing.



## Ladder with rope

**Physical:** cross coordination and eye-hand coordination are supported when children climb the ladder. Leg and core and upper body muscles are used intensely. **Social-Emotional:** learning about turn taking and cooperation.



## V-net bridge

**Physical:** balancing across the beam develops the vestibular system as well as cross coordination. **Social-Emotional:** passing other children takes co-operation and teaches children turn-taking skills.



## Climbing net

**Physical:** the inclined net supports the upward climbing movement of the body. The net supports cross-body coordination, which impacts coordination of the right and left part of brain, fundamental for other skills such as the ability to read. The asymmetry of the net challenges the children's climbing.



## Banister bars

**Physical:** supports coordination, arm and core muscles. Landing strengthens bone density. **Social-Emotional:** turn-taking and risk-taking.

# Two Towers with Bridge

NRO2002



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).

The product/activities are preassembled from the factory to ensure all safety requirements are considered.

Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



Activities are made of high-quality stainless steel which is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surface.

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO2002-1001	
Installation Information	
Max. fall height	200 cm
Safety surfacing area	39.6 m²
Total installation time	18.0
Excavation volume	2.05 m³
Concrete volume	0.46 m³
Footing depth (standard)	100 cm
Shipment weight	959 kg
Anchoring options	In-ground ✓
Warranty Information	
Robinia Wood	15 years
Ropes & Nets	10 years
Spare Parts Guarantee	10 years
Stainless Steel Components	Lifetime
Stainless Steel Components	Lifetime



# Sustainability Data

NRO2002



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
NRO2002-1001	436.90	0.57	5.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000





# Two Towers with Bridge

NRO2002

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)