


# Dino Swing

M980



产品编号 M98001-3917	
产品信息概览	
长宽高尺寸	316x471x314 cm
适用年龄段	6+
容纳人数	3
颜色选择	



The Dino Swing attracts children like a magnet. The multiple directions in swinging high together, make the children return for more play, time and time again. The tyre seat has room for more children to be seated or standing while swinging. This makes the seat versatile. The whirling swing movements of the Dino swing train the child's sense of balance and

space. These motor skills are fundamental for body awareness and spatial judgement, for instance when navigating street traffic securely. Swinging the tyre of the Dino Swing trains major muscle groups, and jumping off builds up bone density. Swinging with peers and friends trains important social skills such as turn-taking and negotiation. The soothing or wild swing

movements support risk-taking judgement skills. The movements cause both thrill, laughter and relaxation. The Dino Swing helps build friendships in play.



# Dino Swing

M980



## Swinging 360

**身体素质** : the rotating swing movement trains spatial awareness intensely, balance and coordination are further developed. **社交情感** : cooperation and empathy are trained when cooperating on directions of swinging. **认知能力** : figuring out how to use your body to navigate the swing in different directions is a great trainer of embodied cognition.



## Dino seat

**身体素质** : 座椅的三个分区和链条为站立和坐姿摇摆提供了坚固的支撑。 **社交情感** : 孩子们可以一起摇摆，双腿悬空，训练合作能力、排队和轮流意识。

# Dino Swing

M980



钢表面内外均采用无铅热镀锌镀层，户外耐蚀性高，维护成本低。



像游戏球这样的游戏活动是由注塑成型的高质量紫外线稳定尼龙（PA6）制成的。尼龙具有良好的耐磨性和冲击强度。



链条为不锈钢，并符合 ISO1434 -ISO1435 和 DIN766 的要求。



设计独特的 360 度旋转秋千挂点由不锈钢制成。秋千吊架的活动部件终身密封和润滑。吊架系统配有安全链，以防止秋千吊架在损坏时掉落。



多用户座椅由外径为 58cm / 23 的全新橡胶汽车轮胎制成。

产品编号 M98001-3917	
安装信息	
最大跌落高度	170 cm
安全面积	51.5 m²
安装总时长	6.2
开挖量	3.02 m³
混凝土使用量	0.00 m³
标准入地深度	108 cm
运输重量	625 kg
固定选项	入地 ✓ 地表 ✓
质保信息	
链条	10 年
镀锌钢结构	终身质保
承保零部件	10 年
秋千悬挂	5 年
轮胎	2 年



# Sustainability Data

M980



## 从原材料到成品

CO<sub>2</sub> 排放总量

CO<sub>2</sub> 排放量  
/ 千克

回收的原料

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%

M98001-3917

725.50

1.18

20.30

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

**KOMPAN**  
Let's play

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000




# Dino Swing


M980

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)



[点击查看侧面图](#)